	Application No.	Applicant(s)
Notice of Allowability	10/777,456	CULLEN ET AL.
	Examiner	Art Unit
	Iulio Liou	2612
	Julie Lieu	2612
The MAILING DATE of this communication apperature All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this a or other appropriate communicati GHTS. This application is subjec	application. If not included on will be mailed in due course. THIS
1. X This communication is responsive to <u>amendment filed 9/4/09 and examiner's amendment 11/23/09</u> .		
2. The allowed claim(s) is/are 11,12,14-18,20-28,34,35,37-45 and 47-55.		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) ☐ All b) ☐ Some* c) ☐ None of the:		
1. Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5.	l Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🛛 Interview Summa	
3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./Mail I 7. ⊠ Examiner's Amen	Date <u>attached</u> . ndment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's State	ment of Reasons for Allowance
-	9.	



Application No.

Application/Control Number: 10/777,456

Art Unit: 2612

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with

Page 2

Mr. Edward Kriegsman on November 23, 2009.

The application has been amended as follows:

In claim 11:

Delete "and" at the end of paragraph (b).

At the end of the claim replace the period (.) with --; and--.

Add as a new paragraph at the end:

-- (d) a metallic reflector coupled to said bottom plastic extrudate member.--

In claim 12:

At the end of the paragraph (b) delete ", and" and insert a semicolon (;);

Insert as a new paragraph after paragraph (b):

--(c) laminating a metallic reflector onto the underside of the the continous block, and--.

In the last paragraph, after "block" insert --, and said metallic reflector, --.

Change "(c)" of the last paragraph to --(d)--.

Delete claim 13.

Application/Control Number: 10/777,456 Page 3

Art Unit: 2612

In claim 16:

At the end of the claim replace the period (.) with a semicolon (;), insert --and-- after the semicolon.

Insert as a new paragraph at the end:

--(c) a metallic reflector coupled to said plastic casing.--.

Delete claim 19.

In claim 26:

At the end of the claim replace the period (.) with a semicolon (;), insert --and-- after the semicolon.

Insert as a new paragraph at the end:

--(c) a metallic reflector coupled to said plastic casing.--.

In claim 34:

In paragraph (c), delete "and" at the end.

Insert as a new paragraph after paragraph (c):

--(d) laminating a metallic reflector onto the underside of the said single continous strip, and--.

In the last paragraph, after "inlays" insert --, said metallic reflector, --.

Change "(d)" of the last paragraph to --(e)--.

Art Unit: 2612

Delete claim 36. In claim 44: In paragraph (d), delete "and" at the end. Insert as a new paragraph after paragraph (d): --(e) laminating a metallic reflector onto the underside of the said single continous strip, and--. In the last paragraph, after "strip" insert --, said metallic reflector, --. Change "(e)" of the last paragraph to --(f)--. Delete claim 46.

In claim 49:

In paragraph (c), delete "and" at the end.

Insert as a new paragraph after paragraph (c):

--(d) laminating a metallic reflector onto the underside of the said single continous strip, and--.

In the last paragraph, after "strip" insert --, and said metallic reflector, --.

Change "(d)" of the last paragraph to --(e)--.

Application/Control Number: 10/777,456 Page 5

Art Unit: 2612

2. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Julie Lieu whose telephone number is 571-272-2978. The

examiner can normally be reached on MaxiFlex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Benjamin Lee can be reached on 571-272-2963. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Julie Lieu/ **Primary Examiner** Art Unit 2612

Nov 23, 09